



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31228012-031
Harvest/Lot ID: KND394
Batch#: KND394
Seed to Sale# 100cc
Batch Date: 12/01/23
Sample Size Received: 250 mg
Total Amount: 250 mg
Retail Product Size: 250 mg
Ordered: 12/20/23
Sampled: 12/28/23
Completed: 12/30/23
Sampling Method: SOP.T.20.010.FL
Dec 30, 2023 | Farmasci Life


 3361 NW 55th St
 Fort Lauderdale, FL, 33309, US

PASSED

Pages 1 of 1

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
 NOT TESTED

 Heavy Metals
 NOT TESTED

 Microbials
 NOT TESTED

 Mycotoxins
 NOT TESTED

 Residuals Solvents
 NOT TESTED

 Filtration
 NOT TESTED

 Water Activity
 NOT TESTED

 Moisture
 NOT TESTED

 Terpenes
 NOT TESTED

MISC.

Cannabinoid
PASSED

Total THC
ND

Total CBD
0.808%

Total Cannabinoids
0.808%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.808	ND	ND	ND	ND	ND	ND	<0.010	ND
mg/g	ND	ND	8.08	ND	ND	ND	ND	ND	ND	<0.10	ND
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 2.6488g

 Extraction date:
 12/29/23 11:37:55

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067839POT

Instrument Used : DA-LC-001

Analyzed Date : 12/29/23 12:08:37

Reviewed On : 12/30/23 12:06:53

Batch Date : 12/29/23 08:37:02

Dilution : 400

Reagent : 121923.R15; 060723.24; 121923.R12

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 12/30/23