



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA31228012-033
Harvest/Lot ID: KND394
Batch#: KND394
Seed to Sale# 4oz
Batch Date: 12/01/23
Sample Size Received: 1000 mg
Total Amount: 1000 mg
Retail Product Size: 1000 mg
Ordered: 12/20/23
Sampled: 12/28/23
Completed: 12/30/23
Sampling Method: SOP.T.20.010.FL

Dec 30, 2023 | Farmasci Life

3361 NW 55th St


Fort Lauderdale, FL, 33309, US

PASSED

Pages 1 of 1

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
NOT TESTED

Heavy Metals
NOT TESTED

Microbials
NOT TESTED

Mycotoxins
NOT TESTED

Residuals Solvents
NOT TESTED

Filtration
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED

MISC.

Cannabinoid
PASSED

Total THC
ND

Total CBD
0.858%

Total Cannabinoids
0.864%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.854	0.005	ND	ND	ND	ND	ND	0.005	ND
mg/g	ND	ND	8.54	0.05	ND	ND	ND	ND	ND	0.05	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.0124g

Extraction date:
12/29/23 11:41:51

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067836POT

Instrument Used : DA-LC-007

Analyzed Date : 12/29/23 11:46:22

Reviewed On : 12/30/23 12:06:01

Batch Date : 12/29/23 08:28:45

Dilution : 400

Reagent : 122723.R28; 060723.24; 121223.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/30/23