

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Mint Tincture 3000mg Matrix: Edible

Type: Hemp Edible or Beverage



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA31228012-022 Harvest/Lot ID: KND394

Batch#: KND394 Seed to Sale# 30ML

Batch Date: 12/01/23

Sample Size Received: 3000 mg

Total Amount: 3000 mg Retail Product Size: 3000 mg

Ordered: 12/20/23 Sampled: 12/28/23 Completed: 12/30/23

Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 1

3361 NW 55th St Fort Lauderdale, FL, 33309, US

PRODUCT IMAGE

SAFETY RESULTS

Dec 30, 2023 | Farmasci Life









Mycotoxins



Residuals Solvents

Reviewed On: 12/30/23 12:05:44



NOT TESTED



Water Activity



Moisture **NOT TESTED**

Extracted by: 3335




MISC.

NOT TESTED



Cannabinoid

PASSED



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA067839POT Instrument Used: DA-LC-001 Analyzed Date: 12/29/23 12:08:37

Analyzed by: 3335, 1665, 585, 1440

Dilution : 400 Reagent : 121923.R15; 060723.24; 121923.R12 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha **Vivian Celestino** Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Lab Director

Signature 12/30/23